











Appendix B

Geology 1:50,000 Maps Legends



Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	WGR	Worked Ground (Undivided)	Void	Not Supplied - Holocene
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	LOFT	Lowestoft Formation	Diamicton	Not Supplied - Anglian
	HPLO	Happisburgh Glacigenic Formation And Lowestoft Formation (Undifferentiated)	Sand and Gravel	Not Supplied - Anglian
	LOFT	Lowestoft Formation	Sand and Gravel	Not Supplied - Anglian
	LEHI	Leet Hill Sand And Gravel Member	Sand and Gravel	Not Supplied - Pleistocene
	HPGL	Happisburgh Glacigenic Formation	Diamicton	Not Supplied - Pleistocene
	SMCL	Sheringham Cliffs Formation	Sand and Gravel	Not Supplied - Pleistocene
	RTD1	River Terrace Deposits, 1	Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CRAG	Crag Group	Sand and Gravel	Not Supplied - Pliocene
	LPCK	Lewes Nodular Chalk Formation, Seaford Chalk Formation, Newhaven Chalk Formation, Culver Chalk Formation and Portsdown Chalk Formation (Undifferentiated)	Chalk	Not Supplied - Turonian

Geology 1:50,000 Maps


This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	1
Map Sheet No:	161
Map Name:	Norwich
Map Date:	1975
Bedrock Geology:	Available
Superficial Geology:	Available
Artificial Geology:	Available
Faults:	Not Supplied
Landslip:	Not Available
Rock Segments:	Not Supplied

Geology 1:50,000 Maps - Slice A




Order Details:

Order Number:	309725319_1_1
Customer Reference:	104182
National Grid Reference:	624620, 307060
Slice:	A
Site Area (Ha):	12.41
Search Buffer (m):	1000

Site Details:

Site at, Trowse Newton, Norfolk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice A




Order Details:

Order Number: 309725319_1_1
 Customer Reference: 104182
 National Grid Reference: 624620, 307060
 Slice: A
 Site Area (Ha): 12.41
 Search Buffer (m): 1000

Site Details:

Site at, Trowse Newton, Norfolk



© Crown Copyright. All Rights Reserved. License Number 100022432.


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice A




Order Details:

Order Number: 309725319_1_1
 Customer Reference: 104182
 National Grid Reference: 624620, 307060
 Slice: A
 Site Area (Ha): 12.41
 Search Buffer (m): 1000

Site Details:

Site at, Trowse Newton, Norfolk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice A



Order Details:


Order Number: 309725319_1_1
 Customer Reference: 104182
 National Grid Reference: 624620, 307060
 Slice: A
 Site Area (Ha): 12.41
 Search Buffer (m): 1000

Site Details:

Site at, Trowse Newton, Norfolk

Landmark[®]
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
 Kingsley Dunham Centre
 Keyworth
 Nottingham
 NG12 5GG
 Telephone: 0115 936 3143
 Fax: 0115 936 3276
 email: enquiries@bgs.ac.uk
 website: www.bgs.ac.uk

Combined Geology Map - Slice A



Order Details:

Order Number: 309725319_1_1
 Customer Reference: 104182
 National Grid Reference: 624620, 307060
 Slice: A
 Site Area (Ha): 12.41
 Search Buffer (m): 1000

Site Details:


Site at, Trowse Newton, Norfolk

Landmark
 INFORMATION GROUP








Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Geology 1:50,000 Maps Legends



Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	WGR	Worked Ground (Undivided)	Void	Not Supplied - Holocene

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	LOFT	Lowestoft Formation	Diamicton	Not Supplied - Anglian
	HPLO	Happisburgh Glacigenic Formation And Lowestoft Formation (Undifferentiated)	Sand and Gravel	Not Supplied - Anglian
	LEHI	Leet Hill Sand And Gravel Member	Sand and Gravel	Not Supplied - Pleistocene
	HPGL	Happisburgh Glacigenic Formation	Diamicton	Not Supplied - Pleistocene
	SMCL	Sheringham Cliffs Formation	Sand and Gravel	Not Supplied - Pleistocene
	RTD1	River Terrace Deposits, 1	Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CRAG	Crag Group	Sand and Gravel	Not Supplied - Pliocene
	LPCK	Lewes Nodular Chalk Formation, Seaford Chalk Formation, Newhaven Chalk Formation, Culver Chalk Formation and Portsdown Chalk Formation (Undifferentiated)	Chalk	Not Supplied - Turonian

Geology 1:50,000 Maps


This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	1
Map Sheet No:	161
Map Name:	Norwich
Map Date:	1975
Bedrock Geology:	Available
Superficial Geology:	Available
Artificial Geology:	Available
Faults:	Not Supplied
Landslip:	Not Available
Rock Segments:	Not Supplied

Geology 1:50,000 Maps - Slice B




Order Details:

Order Number:	309725319_1_1
Customer Reference:	104182
National Grid Reference:	624740, 308270
Slice:	B
Site Area (Ha):	12.41
Search Buffer (m):	1000

Site Details:

Site at, Trowse Newton, Norfolk

623000 624000 625000 626000



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck[®]

LANDMARK INFORMATION GROUP[®]

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice B



Order Details:

Order Number: 309725319_1_1
 Customer Reference: 104182
 National Grid Reference: 624740, 308270
 Slice: B
 Site Area (Ha): 12.41
 Search Buffer (m): 1000


Site Details:

Site at, Trowse Newton, Norfolk

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

623000 624000 625000 626000



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck

LANDMARK INFORMATION GROUP


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice B



Order Details:

Order Number: 309725319_1_1
 Customer Reference: 104182
 National Grid Reference: 624740, 308270
 Slice: B
 Site Area (Ha): 12.41
 Search Buffer (m): 1000


Site Details:

Site at, Trowse Newton, Norfolk



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

623000 624000 625000 626000



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck

LANDMARK INFORMATION GROUP

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice B



Order Details:

Order Number:	309725319_1_1
Customer Reference:	104182
National Grid Reference:	624740, 308270
Slice:	B
Site Area (Ha):	12.41
Search Buffer (m):	1000


Site Details:

Site at, Trowse Newton, Norfolk

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

623000 624000 625000 626000



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck

LANDMARK INFORMATION GROUP

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
 Kingsley Dunham Centre
 Keyworth
 Nottingham
 NG12 5GG
 Telephone: 0115 936 3143
 Fax: 0115 936 3276
 email: enquiries@bgs.ac.uk
 website: www.bgs.ac.uk

Combined Geology Map - Slice B



Order Details:

Order Number: 309725319_1_1
 Customer Reference: 104182
 National Grid Reference: 624740, 308270
 Slice: B
 Site Area (Ha): 12.41
 Search Buffer (m): 1000

Site Details:

Site at, Trowse Newton, Norfolk



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Appendix C



© Crown copyright
and database rights
2023. Ordnance
Survey 100019340



Tom McCabe
Executive Director of
Community and Environmental Services
Norfolk County Council
County Hall, Martineau Lane
Norwich NR1 2SG

DRAWING TITLE
Deal Ground, Norwich
Desk Study
1914 OS Map

REV.	DESCRIPTION	DRAWN BY	CHECKED	DATE

SURVEYED BY	INITIALS	DATE	DRAWING No.
OS	OS	03/23	006
DESIGNED BY	JP	04/23	PROJECT TITLE
DRAWN BY	JP	04/23	Deal Ground, Norwich Desk Study
CHECKED BY	IDB	04/23	SCALE
			1: 5000 @A3
			FILE No.
			-



© Crown copyright
and database rights
2023. Ordnance
Survey 100019340




Tom McCabe
Executive Director of
Community and Environmental Services
Norfolk County Council
County Hall, Martineau Lane
Norwich NR1 2SG

DRAWING TITLE
Deal Ground, Norwich
Desk Study
1928 OS Map

REV.	DESCRIPTION	DRAWN BY	CHECKED	DATE

SURVEYED BY	INITIALS	DATE	DRAWING No.
			007
DESIGNED BY	OS	03/23	PROJECT TITLE Deal Ground, Norwich Desk Study
	JP	04/23	
DRAWN BY	JP	04/23	SCALE
CHECKED BY	IDB	04/23	1: 5000 @A3
			FILE No.
			-



© Crown copyright
and database rights
2023. Ordnance
Survey 100019340



Tom McCabe
Executive Director of
Community and Environmental Services
Norfolk County Council
County Hall, Martineau Lane
Norwich NR1 2SG

DRAWING TITLE
Deal Ground, Norwich
Desk Study
1946 Aerial

REV.	DESCRIPTION	DRAWN BY	CHECKED	DATE

SURVEYED BY	INITIALS	DATE	DRAWING No.
			004
DESIGNED BY			PROJECT TITLE
			Deal Ground, Norwich Desk Study
DRAWN BY			SCALE
			1: 5000 @A3
CHECKED BY			FILE No.
			-



© Crown copyright
and database rights
2023. Ordnance
Survey 100019340



Tom McCabe
Executive Director of
Community and Environmental Services
Norfolk County Council
County Hall, Martineau Lane
Norwich NR1 2SG

DRAWING TITLE
Deal Ground, Norwich
Desk Study
1947 OS Map

REV.	DESCRIPTION	DRAWN BY	CHECKED	DATE

SURVEYED BY	INITIALS	DATE	DRAWING No.
OS	OS	03/23	005
DESIGNED BY	JP	04/23	PROJECT TITLE
DRAWN BY	JP	04/23	Deal Ground, Norwich
CHECKED BY	IDB	04/23	Desk Study
SCALE			FILE No.
1: 5000 @A3			-