



**Public Protection (food & safety)**

**Food Premises Inspection Report**

Name of business:	Nando's
Address of food business:	7 Wherry Road Norwich NR1 1WS
Date of inspection:	30/11/2018
Risk rating reference:	18/01053/FOOD
Premises reference:	20779/4007/0/000
Type of premises:	Restaurant or cafe
Areas inspected:	Main Kitchen, Storeroom, Front of house
Records examined:	FSMS, Temperature control records, Training certificates / records
Details of samples procured:	None
Summary of action taken:	Informal
General description of business:	Restaurant

**Relevant Legislation**

Food Safety Act 1990 (as amended)  
Regulation (EC) No 178/2002 applied by The General Food Regulations 2004 (as amended)  
Regulation (EC) No 852/2004 and No 853/2004 applied by Regulation 19 (1) of the Food Safety and Hygiene (England) Regulations 2013  
Health and Safety at Work etc. Act 1974 and related regulations  
Food Information Regulations 2014

**What you must do to comply with the law**

The report may include **Contraventions** - matters which do not comply with the law . You must address all of the contraventions identified; failure to do so could result in legal action being taken against you.

As a guide, contraventions relating to cleaning, temperature control and poor practice, should be dealt with straight away.

Contraventions relating to structural repairs, your food safety management system and staff training, should be completed within the next 2 months.

Health and safety contraventions should be dealt with within 3 months unless otherwise stated.

To assist you the report may also include **Observations** of current practice, useful **Information, Recommendations** of good practice and reminders of **Legal Requirements** .

My inspection was not intended to identify every contravention of the law and only covers those areas, practices and procedures examined at the time of the inspection. If the report fails to mention a particular matter this does not mean you have necessarily complied with the law.

## FOOD SAFETY

### How we calculate your Food Hygiene Rating:

The food safety section has been divided into the three areas which you are scored against for the hygiene rating: 1. food hygiene and safety procedures, 2. structural requirements and 3. confidence in management/control procedures. Each section begins with a summary of what was observed and the score you have been given. Details of how these scores combine to produce your overall food hygiene rating are shown in the table.

Compliance Area	You Score					
Food Hygiene and Safety	0	5	10	15	20	25
Structure and Cleaning	0	5	10	15	20	25
Confidence in management & control systems	0	5	10	15	20	30
<b>Your Total score</b>	<b>0 - 15</b>	20	25 - 30	35 - 40	45 - 50	> 50
<b>Your Worst score</b>	<b>5</b>	10	10	15	20	-
<b>Your Rating is</b>	<b>5</b>	4	3	2	1	0

Your Food Hygiene Rating is 5 - a very good standard



### 1. Food Hygiene and Safety

Food Hygiene standards are excellent. You demonstrated full compliance with legal requirements. You have safe food handling practices and procedures and all the necessary control measures to prevent cross-contamination are in place. **(Score 0)**

#### Contamination risks

**Observation** Contamination risks were controlled

#### Personal Hygiene

**Observation** I was pleased to see that standards of personal hygiene were high.

#### Temperature Control

**Observation** I was pleased to see you were able to limit bacterial growth and/or survival by applying appropriate temperature controls at points critical to food safety and that you were diligently monitoring temperatures.

## **2. Structure and Cleaning**

The structure facilities and standard of cleaning and maintenance are all of a good standard and only minor repairs and/or improvements are required. Pest control and waste disposal provisions are adequate. The minor contraventions require your attention. **(Score 5)**

### **Cleaning Chemicals / Materials / Equipment and Methods**

**Observation** I was pleased to see that the premises was kept clean and that your cleaning materials, methods and equipment were able to minimise the spread of harmful bacteria between surfaces.

### **Maintenance**

**Contravention** The following items had not been suitably maintained and must be repaired or replaced:

- wash hand basin near ovens needs repairing
- cover to the drinks dispenser was cracked

### **Pest Control**

**Observation** I was pleased to see that premises was proofed against the entry of pests and that pest control procedures were in place.

## **3. Confidence in Management**

A food safety management system is in place and you comply fully with the law. Hazards to food are understood properly controlled managed and reviewed. Your records are appropriate and being maintained. All your staff are suitably supervised and trained. You have a very good track record. **(Score 0)**

### **Type of Food Safety Management System Required**

**Observation** Your SFBB/food safety management system was in place and working well. I was confident you had effective control over hazards to food.

**Observation** You were date labelling perishable foods appropriately and could demonstrate effective control over food spoilage organisms.

### Traceability

**Observation** Your records were such that food could easily be traced back to its supplier.

### Training

**Observation** I was pleased to see that food handlers and/or managers had been trained to an appropriate level and evidence of their training was made available.

### Infection Control / Sickness / Exclusion Policy

**Observation** Policies were in place to prevent any infected food handler from contaminating food.

### Allergens

**Observation** You had identified the presence of allergens in your non-prepacked food and had brought this to the attention of your customers.

## **HEALTH AND SAFETY**

**Contravention** The floor in the kitchen felt very slippery underfoot. You should review the frequency of cleaning, the type of cleaning products, methods and procedures used, to ensure that grease is being removed effectively.

**Recommendation** I also strongly recommend that you review the type of flooring to be fitted during your next refurbishment (in 2019) and provide a floor surface with a higher microroughness.