



Public Protection (food & safety)

Food Premises Inspection Report

| | |
|----------------------------------|---------------------------------------|
| Name of business: | The Champion Pub |
| Address of food business: | 101 Chapel Field Road Norwich NR2 1SE |
| Date of inspection: | 17/08/2022 |
| Risk rating reference: | 22/00445/FOOD |
| Premises reference: | 14/00157/FD_HS |
| Type of premises: | Pub/Club |
| Areas inspected: | All |
| Records examined: | Temperature Control Records, SFBB |
| Details of samples procured: | None |
| Summary of action taken: | Informal |
| General description of business: | Pub with food serving local community |

Relevant Legislation

Food Safety Act 1990 (as amended)

Regulation (EC) No 178/2002 applied by The General Food Regulations 2004 (as amended)

Regulation (EC) No 852/2004 and No 853/2004 applied by Regulation 19 (1) of the Food Safety and Hygiene (England) Regulations 2013

Health and Safety at Work etc. Act 1974 and related regulations

Food Information Regulations 2014

What you must do to comply with the law

The report may include **Contraventions** - matters which do not comply with the law . You must address all of the contraventions identified; failure to do so could result in legal action being taken against you.

As a guide, contraventions relating to cleaning, temperature control and poor practice, should be dealt with straight away.

Contraventions relating to structural repairs, your food safety management system and staff training, should be completed within the next 2 months.

Health and safety contraventions should be dealt with within 3 months unless otherwise stated.

To assist you the report may also include **Observations** of current practice, useful **Information, Recommendations** of good practice and reminders of **Legal Requirements** .

My inspection was not intended to identify every contravention of the law and only covers those areas, practices and procedures examined at the time of the inspection. If the report fails to mention a particular matter this does not mean you have necessarily complied with the law.

FOOD SAFETY

How we calculate your Food Hygiene Rating:

The food safety section has been divided into the three areas which you are scored against for the hygiene rating: 1. food hygiene and safety procedures, 2. structural requirements and 3. confidence in management/control procedures. Each section begins with a summary of what was observed and the score you have been given. Details of how these scores combine to produce your overall food hygiene rating are shown in the table.

| Compliance Area | You Score | | | | | |
|--|-----------|----|---------|---------|---------|------|
| Food Hygiene and Safety | 0 | 5 | 10 | 15 | 20 | 25 |
| Structure and Cleaning | 0 | 5 | 10 | 15 | 20 | 25 |
| Confidence in management & control systems | 0 | 5 | 10 | 15 | 20 | 30 |
| Your Total score | 0 - 15 | 20 | 25 - 30 | 35 - 40 | 45 - 50 | > 50 |
| Your Worst score | 5 | 10 | 10 | 15 | 20 | - |
| Your Rating is | 5 | 4 | 3 | 2 | 1 | 0 |

Your Food Hygiene Rating is 4 - a good standard



1. Food Hygiene and Safety

Food hygiene standards are high. You demonstrated a very good standard of compliance with legal requirements. You have safe food handling practices and procedures and all the necessary control measures to prevent cross-contamination are in place. Some minor contraventions require your attention. **(Score 5)**

Hand-washing

- Contravention** The following indicated that hand-washing was not suitably managed:
- the drainage to the wash hand basin was inadequate

2. Structure and Cleaning

The structure facilities and standard of cleaning and maintenance are of a generally satisfactory standard but there are some repairs and/or improvements which are required in order for you to comply with the law. Pest control and waste disposal provisions are adequate. The contraventions require your attention; although not critical to food safety they may become so if not addressed. **(Score 10)**

Cleaning of Structure

Contravention The following items were dirty and require more frequent and thorough cleaning:

- ceiling
- floor/wall junctions
- mould to cellar walls

Contravention The following items could not be effectively cleaned and must be covered, made non-absorbent or replaced:

- mdf or chipboard shelves
- walls
- cellar wall, floor ceiling in need of attention. I acknowledge only beer kegs are stored in the cellar and it being a very old building

Maintenance

Contravention The following had not been suitably maintained and must be repaired or replaced:

- floor surfaces damaged
- coving loose at wall floor junction in main kitchen
- silicon sealant damaged in kitchen

3. Confidence in Management

A food safety management system is in place and you demonstrate a very good standard of compliance with the law. You have a good track record. There are some minor contraventions which require your attention. Your records are appropriate and generally maintained. Your staff are suitably supervised and trained. You have a good track record. There are some minor contraventions which require your attention. **(Score 5)**

Proving Your Arrangements are Working Well

Contravention The following matters are needed in order to demonstrate your food safety management system is working as it should::

- staff training records
- suppliers lists
- checking your menu Safe Method not completed

Training

Observation I was pleased to see that food handlers had been trained to an appropriate level and evidence of their training was made available.

Allergens

Observation You had identified the presence of allergens in your non-prepacked food and had brought this to the attention of your customers.