



**Public Protection (food & safety)**

**Food Premises Inspection Report**

Name of business:	Wensum Junior School - The Pantry
Address of food business:	Wensum Junior School Turner Road Norwich NR2 4HB
Date of inspection:	17/01/2024
Risk rating reference:	24/00031/FOOD
Premises reference:	23/00340/FOOD
Type of premises:	School
Areas inspected:	All
Records examined:	Temperature Control Records, FSMS
Details of samples procured:	None
Summary of action taken:	Informal
General description of business:	School dining centre. No foods prepared onsite.

**Relevant Legislation**

Food Safety Act 1990 (as amended)

Regulation (EC) No 178/2002 applied by The General Food Regulations 2004 (as amended)

Regulation (EC) No 852/2004 and No 853/2004 applied by Regulation 19 (1) of the Food Safety and Hygiene (England) Regulations 2013

Health and Safety at Work etc. Act 1974 and related regulations

Food Information Regulations 2014

**What you must do to comply with the law**

The report may include **Contraventions** - matters which do not comply with the law . You must address all of the contraventions identified; failure to do so could result in legal action being taken against you.

As a guide, contraventions relating to cleaning, temperature control and poor practice, should be dealt with straight away.

Contraventions relating to structural repairs, your food safety management system and staff training, should be completed within the next 2 months.

Health and safety contraventions should be dealt with within 3 months unless otherwise stated.

To assist you the report may also include **Observations** of current practice, useful **Information, Recommendations** of good practice and reminders of **Legal Requirements** .

My inspection was not intended to identify every contravention of the law and only covers those areas, practices and procedures examined at the time of the inspection. If the report fails to mention a particular matter this does not mean you have necessarily complied with the law.

## **FOOD SAFETY**

### **How we calculate your Food Hygiene Rating:**

The food safety section has been divided into the three areas which you are scored against for the hygiene rating: 1. food hygiene and safety procedures, 2. structural requirements and 3. confidence in management/control procedures. Each section begins with a summary of what was observed and the score you have been given. Details of how these scores combine to produce your overall food hygiene rating are shown in the table.

Compliance Area	You Score					
Food Hygiene and Safety	0	5	10	15	20	25
Structure and Cleaning	0	5	10	15	20	25
Confidence in management & control systems	0	5	10	15	20	30

Your Total score	0 - 15	20	25 - 30	35 - 40	45 - 50	> 50
Your Worst score	5	10	10	15	20	-

Your Rating is	5	4	3	2	1	0
----------------	---	---	---	---	---	---

Your Food Hygiene Rating is 5 - a very good standard



### **1. Food Hygiene and Safety**

Food Hygiene standards are excellent. You demonstrated full compliance with legal requirements. You have safe food handling practices and procedures and all the necessary control measures to prevent cross-contamination are in place. **(Score 0)**

#### **Contamination risks**

**Observation** I was pleased to see you were able to demonstrate effective controls to prevent cross-contamination.

#### **Personal Hygiene**

**Observation** I was pleased to see that standards of personal hygiene were high.

### **2. Structure and Cleaning**

The structure facilities and standard of cleaning and maintenance are all of a good standard and only minor repairs and/or improvements are required. Pest control and waste disposal provisions are adequate. The minor contraventions require your attention. **(Score 5)**

#### Cleaning of Structure

**Contravention** The following items could not be effectively cleaned and must be covered, made non-absorbent or replaced:

- walls

#### Maintenance

**Contravention** The following had not been suitably maintained and must be repaired or replaced:

- damage to wall/plasterwork where pipework exits through wall in main kitchen. This was raised at last inspection.
- cold water would spray onto surfaces when used at work hand basin. Likely due to a faulty spout.

#### Facilities and Structural provision

**Contravention** The following facilities were inadequate and must be improved:

- hot water supply to fill washing up sinks was very slow.

### **3. Confidence in Management**

A food safety management system is in place and you comply fully with the law. Hazards to food are understood properly controlled managed and reviewed. Your records are appropriate and being maintained. All your staff are suitably supervised and trained. You have a very good track record. **(Score 0)**

#### Type of Food Safety Management System Required

**Observation** Your SFBB/food safety management system was in place and working well. I was confident you had effective control over hazards to food.

**Observation** You were monitoring (and recording) the temperatures of your fridges and freezers as well as the temperature of cooked/hot-held food and could demonstrate effective systems for controlling bacterial growth and survival.

#### Traceability

**Observation** Your records were such that food could easily be traced back to its supplier.

#### Training

**Observation** I was pleased to see that food handlers had been trained to an appropriate level and evidence of their training was made available.

### Allergens

**Observation** You had identified the presence of allergens in your non-prepacked food and had brought this to the attention of your customers.

**Observation** You had clearly shown the presence of allergens in your food on your menu.

**Observation** You had devised a chart listing all the food you provide with the allergens present in each and had brought this to the attention of your staff and customers.